

KOBAN



FEATURES

- ✓ IP44
- ✓ Simple and integrative structure design, easy in installation.
- ✓ Housing with high heating conductive aluminum material, excellent heating radiation performance.
- ✓ High luminous efficacy, small lumen depreciation, long lifespan



TECHNICAL SPECIFICATIONS

	KLED-CE9011-12W Codes 8768073
LED light source	SMD2835
Input voltage	AC180-240V
Lm/W	>80
Lumen	1000lm±10%
Power	12W
CRI	Ra>80
Color temp.	6500K
Lifetime	50000hr
Total harmonic distortion	<10%
Work humidity	20-80%RH
IP Rating	IP44

	KLED-CE9011-12W Codes 8768073
Power factor	>0.5
Beam angle	120°
Material	PC base and PC cover
Size(mm)	Φ230*50mm (ultra thin)

DIMENSIONS

GAMMA ANGLE

KOBAN



FEATURES

- ✓ IP54
- ✓ Simple and integrative structure design, easy in installation.
- ✓ Housing with high heating conductive aluminum material, excellent heating radiation performance.
- ✓ High luminous efficacy, small lumen depreciation, long lifespan



TECHNICAL SPECIFICATIONS

	KLED-CE9001-15W Codes 8768074
LED light source	SMD2835
Input voltage	AC180-240V
Lm/W	>70
Lumen	1100lm±10%
Power	15W
CRI	Ra>80
Color temp.	6500K
Lifetime	50000hr
Total harmonic distortion	<10%
Work humidity	20-80%RH
IP Rating	IP54

	KLED-CE9001-15W Codes 8768074
Power factor	>0.5
Beam angle	120°
Material	PC base and PC cover
Size(mm)	Φ270*93mm

DIMENSIONS

GAMMA ANGLE