

KOBAN



FEATURES

- ✓ RGB bluetooth LED bulbs with music player
- ✓ Simple and integrative structure design, easy in installation.
- ✓ Housing with aluminum material, excellent heating radiation performance.
- ✓ High luminous efficacy, small lumen depreciation, long lifespan.



TECHNICAL SPECIFICATIONS

Item No/Code	LED-SP80-9W-01 (8767964)
LED light source	SMD5050
Input voltage	AC175-265V
Working temp.	-20°C a 50°C
Lm/W	N/A
Lumen	N/A
Power	9W
Beam angle	270°
CRI	Ra>80
Color temp.	RGB
Lifetime	50000hr
Total harmonic distortion	<10%
Work humidity	20-80%RH
IP Rating	IP20
Size(DxH)	Φ80x145mm

KOBAN



FEATURES

- ✓ Dimmable LED bulbs with music player and remote control
- ✓ Simple and integrative structure design, easy in installation.
- ✓ Housing with aluminum material, excellent heating radiation performance.
- ✓ High luminous efficacy, small lumen depreciation, long lifespan.



TECHNICAL SPECIFICATIONS

Item No/Code	LED-SP80-9W-02 (8767965)
LED light source	SMD5050
Input voltage	AC175-265V
Working temp.	-20°C a 50°C
Lm/W	N/A
Lumen	N/A
Power	9W
Beam angle	270°
CRI	Ra>80
Color temp.	6000K
Lifetime	50000hr
Total harmonic distortion	<10%
Work humidity	20-80%RH
IP Rating	IP20
Size(DxH)	Φ80x145mm

KOBAN



FEATURES

- ✓ RGB LED spotlight with remote control
- ✓ Simple and integrative structure design, easy in installation.
- ✓ Housing with aluminum material, excellent heating radiation performance.
- ✓ High luminous efficacy, small lumen depreciation, long lifespan.



TECHNICAL SPECIFICATIONS

Item No/Code	LED-RGB-SL3W (8767966)
LED light source	SMD2835
Input voltage	AC175-265V
Working temp.	-20°C a 50°C
Lm/W	N/A
Lumen	N/A
Power	3W
Beam angle	90°
CRI	Ra>80
Color temp.	RGB
Lifetime	50000hr
Total harmonic distortion	<10%
Work humidity	20-80%RH
IP Rating	IP65
Size(DxH)	Φ73*92mm